

Main panel

POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Ratshot[®]

Rodenticide Paste

ACTIVE CONSTITUENT: 0.05 g/kg DIFENACOUM

READY TO USE BAITS IN A PALATABLE SACHET FOR THE CONTROL OF BROWN OR NORWAY RATS (*Rattus norvegicus*) AND MICE, including those resistant to other anticoagulants.

FOR USE IN AND AROUND BUILDINGS

Contains Denatonium Benzoate as a Bittering Agent

Contains (67 x 15 g – 667 x 15 g), 1334 x 15 g bait sachets
which it is illegal to sell separately

Net Contents: (Range 1 kg - 10 kg), 20 kg

Manufactured for:
Freezone Public Health Pty Ltd
ACN 132080098
18 Gilpin St, Shorncliffe
QLD, 4017
www.freezone.net.au
Tel. 07 3869 4436



RLP
Approved



Ancillary panel

DIRECTIONS FOR USE

RESTRAINTS

DO NOT place baits in the open unless in bait stations.

DO NOT exceed 3 m between baits for mice, or 9 m for rats.

DO NOT remove bait from paper sachet.

SITUATION	PEST	RATE	CRITICAL COMMENTS
Industrial, commercial, public services, domestic and agricultural buildings	Mice	1 or 2 bait sachets per bait point	Place bait points wherever droppings, damage or other signs of rodent activity are seen, but not more than 2 m away from buildings. Mice: Use many bait points. Rats: place a number of bait points in dry locations throughout the infested area. The use of secured, tamper-resistant bait stations is preferred. Follow the Baiting Strategies detailed below.
	Brown or Norway rat (<i>Rattus norvegicus</i>)	Up to 10 bait sachets per bait point	

Baiting strategy for rats and mice: Eliminate as far as practicable all other food sources. Bait the infested area, placing the bait sachets under cover. Record the number and locations of bait stations for the purpose of replacement and later removal. Inspect baits frequently, particularly in the first ten days. Replace eaten bait. If bait is completely consumed, the quantity should be increased. Continue replenishing baits until they are left untouched. Baiting for at least 2 weeks will be necessary to reduce rat/mouse numbers. Two or more feeds are required to produce a delayed mortality. Most deaths occur 4 to 10 days after consumption of bait, but deaths may occur for up to 2 weeks. Following treatment remove all remains of bait and bait containers and look for dead rats or mice. Burn or bury carcasses. Do not place in refuse bins. DO NOT let cats, dogs and non-target animals eat poisoned mice and rats. While handling remaining bait material/animal carcasses, wear rubber gloves.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

The baits are ready to use - do not unwrap individual baits. Rats and mice will chew through the wrapper.

Ratshot Rodenticide Paste is a highly palatable cereal based all-purpose rodenticide containing the advanced anticoagulant, difenacoum, which is equally effective against rats and mice, including strains resistant to some other anticoagulants.

PRECAUTIONS

The bait is hazardous to pigs, cats, dogs, poultry, birds and wildlife and care should be exercised in its use. DO NOT feed the bait to wild or domestic birds.

DO NOT apply directly on or near exposed food or food utensils, food preparation areas, livestock feed or water, or food storage areas.

PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate dams, waterways and drains with bait or its used containers. DO NOT place baits in locations that are accessible to domestic animals, livestock, birds or other animals. DO NOT use this product to control native animals. In areas where possums and other non-target animals frequent, baits should be secured inside proper bait stations or bait stations constructed from drainpipes or boxes.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Dispose of rinsings and unused or untaken bait in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Empty containers and product should not be burnt. Containers that have held bait should not be used for any other purpose.

SAFETY DIRECTIONS

Poisonous if swallowed. Repeated minor exposure may have a cumulative poisoning effect. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26. Vitamin K (Phytomenadione) is antidotal.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet, which is available from the supplier or visit www.freezone.net.au

Ratshot Rodenticide Paste contains Denatonium benzoate (a human taste deterrent) to help prevent accidental human consumption.

Ancillary panel

NOTE TO PHYSICIANS AND VETERINARIANS

Difenacoum, the active constituent of Ratshot Rodenticide Paste, is a long lasting anticoagulant chemical, which if ingested by humans, domestic animals or pets, can reduce the clotting power of the blood and haemorrhage may result. Vitamin K1 (phytomenadione) should be administered urgently by medical, appropriate paramedical personnel or veterinarians. If administered intravenously, the injection must be given slowly.

NOTICE

Freezone Public Health Pty Ltd warrants as supplied this product is of high quality and believed to be suitable for its intended purpose expressly recommended in accordance with the directions for use provided on the label. Responsibility is not accepted of the products save those non excludable conditions implied by any law of a Territory, State or Federal Legislation.

FREEZONE & RATSHOT are registered trademarks of Freezone Public Health Pty Ltd

APVMA Approval No.: 68759/59027

B/N
DOM

Transparent wrapper for 15 g bait

**Ratshot Rodenticide Paste
0.05 g/kg DIFENACOUM**

Freezone Public Health Pty Ltd