

Product Name: Freezone Ratshot G QuickShot Rodenticide  
 APVMA Approval No: 84215/109902



Label Name:	Freezone Ratshot G QuickShot Rodenticide
Signal Headings:	POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING
Constituent Statements:	ACTIVE CONSTITUENT: 0.05 g/kg BRODIFACOUM Contains Denatonium Benzoate (Bittering Agent)
Mode of Action:	
Statement of Claims:	READY TO USE GRAIN BAIT FOR USE IN COMMERCIAL, AGRICULTURAL AND DOMESTIC BUILDINGS  KILLS RATS & MICE
Net Contents:	100 g - 20 kg
Restrains:	DO NOT exceed 3 m between bait stations for mice or 9 m for rats. DO NOT place bait stations in open. DO NOT apply bait to crops.
Directions for Use:	Baiting Strategy: Eliminate, as far as practicable, all other food sources. Bait the infested area. Place bait stations under cover along walls or rafters or in dark sheltered spots where there are signs of activity. Inspect bait stations daily. Replace eaten baits. If quickly eaten, increase number of bait stations. Continue observation and replenish until no more baits are taken. Baiting for at least two weeks is necessary to reduce rat/mouse numbers. SITUATION: In and around agricultural, commercial and domestic buildings (within 2 metres).  Mice require several bait stations, 50 g per station (0.2 g will kill a mouse). Rats require larger quantities of bait in one or two locations, 100 g - 200 g per station in small

	<p>populations (1.4 g will kill a rat)*. For larger populations more baiting points will be required. For effective control continue until feeding ceases. *Based upon 25g mouse and 250g rat.</p> <p>NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.</p>
--	---

Other Limitations:	THE USE OF THIS PRODUCT FOR THE CONTROL OF PROTECTED NATIVE RODENTS REQUIRES PERMISSION FROM WILDLIFE AUTHORITIES.
--------------------	--

Withholding Periods:	
----------------------	--

Trade Advice:	
---------------	--

General Instructions:	<p><b>GENERAL INSTRUCTIONS</b> Most deaths occur 4 to 7 days after consumption of bait. Locate bait stations along walls or rafters and in dark sheltered spots where there are signs of rodent activity. Record the number and locations of bait stations for purpose of replenishment and later removal.</p> <p>Collect and dispose of all dead animals and rodent faeces, by burning or burial. When rodent activity has ceased, ensure uneaten bait is removed and disposed of as per disposal instructions.</p>
-----------------------	--

Resistance Warning:	
---------------------	--

Precautions:	<p><b>PRECAUTION: KEEP OUT OF REACH OF CHILDREN</b> Do NOT place bait in areas where there is a possibility of contaminating food, livestock feed, water or surfaces that come into direct contact with food.</p>
--------------	---

Protections:	<p><b>PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT</b> DO NOT contaminate dams, streams, rivers, waterways and drains with the bait or its used container. The bait and dead or affected rodents are hazardous to pigs, cats, dogs, poultry, birds and wildlife and care should be exercised in its use. DO NOT place baits in locations which are accessible to domestic animals, livestock, birds or other non-target wildlife. The product is restricted to use in and around buildings (within 2 metres) or enclosed spaces e.g. drains. Regularly search for, remove and destroy dead or affected rodents by burning or burial. Ensure uneaten baits are removed and disposed of with empty containers when rodent activity has ceased.</p>
--------------	--

Storage and Disposal:	<p><b>STORAGE AND DISPOSAL</b> Store in a tightly closed, original container in a dry well ventilated area, as cool as possible out of direct sunlight. Shake empty container onto baiting site. Break, crush or puncture and bury empty container in an approved waste management facility. If an approved waste management facility is not available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulation. Do not burn empty containers or product. Search for and burn or bury all rodent bodies, do not place in refuse bins or in rubbish tips. Ensure uneaten baits are removed and disposed of with the empty containers when rodent activity has ceased.</p>
-----------------------	--

Safety Directions:	Poisonous if swallowed. DO NOT inhale dust. DO NOT touch bait. Use scoop or measure. If on skin and after each baiting, wash thoroughly with soap and water.
--------------------	--

First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766. Vitamin K1 (Phytomenadione) is antidotal.
-------------------------	--

First Aid Warnings:	
---------------------	--